

2003 Indiana Fish Consumption Advisory Streams and Rivers

Location	Species	Fish Size (inches)	Contaminant	Group
All Indiana Rivers and Streams				
All Counties (unless specified otherwise)	Carp	15-20	● ○	3
		20-25	● ○	4
		25+	● ○	5
Anderson River Spencer County	Black Buffalo	20-25	● ○	2
		25+	●	3
	Channel Catfish	10-13	●	2
		13+	●	3
	Largemouth Bass	14-17	○	2
		17+	○	3
	White Crappie	13+	○	2
Beanblossom Creek Monroe County	Channel Catfish	Up to 13	●	2
		13+	●	3
	Spotted Sucker	14+	●	2
Big Blue River Henry County	Creek Chub	6-7	●	3
		7+	●	4
	Rock Bass	4-7	●	3
		7+	●	4
	White Sucker	8-10	●	3
		10+	●	4
	Creek Chub	6+	●	3
		6+	●	3
	Black Redhorse	11+	●	3
		18+	●	4
Rush County	Northern Hogsucker	9-10	●	3
		10+	●	4
Shelby County	Rock Bass	4-7	●	3
		4-7	●	3
	Longear Sunfish	5+	●	3
		5+	●	3
Johnson County	Northern Hogsucker	8-10	●	3
		10+	●	4
	Rock Bass	7+	●	3
		7+	●	3
	Smallmouth Bass	5-8	●	3
		8+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Big Pine Creek Warren County	Black Redhorse	13-16	○	2
		16+	○	3
	Channel Catfish	12-17	●	2
	Smallmouth Bass	10-11	●	2
Big Raccoon Creek Parke County	Carp	19-22	○	2
		22+	○	3
	Black Redhorse	11-17	○	2
		17+	○	3
	Channel Catfish	17-22	●	3
		22+	●	4
	Spotted Bass	10-14	○	2
		14+	○	3
Big Walnut Creek Putnam County	Black Redhorse	11-14	○	2
		14+	○	3
	River Carpsucker	9-14	○	2
		14+	○	3
	Spotted Bass	9-12	○	2
		12+	○	3
Blue River Harrison County	Black Redhorse	15-17	○	2
	Carp	28-29	○	2
		29+	○	3
	Channel Catfish	15+	●	3
		15+	●	3
	Rock Bass	5-7	●	2
		7+	●	3
	Shorthead Redhorse	14-17	●	2
		17+	●	3
	Spotted Bass	8-10	● ○	2
		10+	● ○	3
Brandywine Creek Hancock County	Northern Hogsucker	8-11	○	2
		11+	○	3
Buck Creek Delaware County	Longear Sunfish	5-6	●	3
		6+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Buck Creek (Delaware County cont.)				
	Rock Bass	7+	○	2
		9+	●	2
	Smallmouth Bass	13-14	○	2
		14+	○	3
	White Sucker	12-14	●	2
		14+	●	3
Cedar Creek	Carp	ALL	●	5
Allen County	River Chub	4+	●	3
Clear Creek				
Monroe County	ALL SPECIES	ALL	●	5
Crooked Creek				
Steuben County	Carp	23+	●	2
Deer Creek				
Putnam County	Black Redhorse	11-13	○	2
		13+	○	3
Carroll County	Black Redhorse	13-19	○	2
		19+	○	3
	Carp	Up to 19	●	2
		19+	●	3
	Carp sucker	15-17	○	2
		17+	○	3
	Smallmouth Bass	10	●	2
		10+	●	3
Eagle Creek	Channel Catfish	20-23	●	4
Marion County		23+	●	5
	White Sucker	12-13	●	2
		13+	●	3
East Fork of White Lick Creek				
Hendricks County	Creek Chub	6-9	●	2
		9+	●	3
	Northern Hogsucker	8-11	●	2
		11+	●	3
	Yellow Bullhead	8-10	●	2
		10+	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
East Fork of White Lick Creek (cont)				
Morgan County	Creek Chub	7+	●	2
East Fork of White River				
Bartholomew County	Golden Redhorse	8-13	●	2
		13+	●	3
	Silver Redhorse	16-18	●	3
		18+	●	4
Jackson County	Freshwater Drum	17-18	○	2
		18+	○	3
	Golden Redhorse	14-16	●	3
		16+	●	4
Lawrence County	Silver Redhorse	20-22	●	2
		22+	●	3
	Smallmouth Buffalo	19-26	●	3
		26+	●	4
	Bigmouth Buffalo	18+	● ○	3
	Carp	22+	● ○	5
	Channel Catfish	15-21	● ○	4
		21+	● ○	5
	Freshwater Drum	12-15	●	4
		15+	●	5
	Bigmouth Buffalo	18+	○	4
	Flathead Catfish	10-16	●	3
		16+	●	4
	Largemouth Bass	11-14	●	4
		14+	●	5
	River Carpsucker	13+	●	5
	Sauger	14+	● ○	3
	Shorthead Redhorse	14-16	●	4
		16+	●	5
	Smallmouth Buffalo	15+	●	5
	Spotted Bass	10+	● ○	2
	Spotted Sucker	17+	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
East Fork of White River				
Lawrence County(cont)	Striped Bass	22+	●	4
Martin County	Channel Catfish	12-14	●	3
		14+	●	4
	Freshwater Drum	10-12	●	3
		12+	●	4
	Longear Sunfish	6+	●	3
	Shorthead Redhorse	14-16	●	4
	16+	●	5	
	Smallmouth Buffalo	19+	●	3
East Fork of Whitewater River				
Wayne County	Channel Catfish	12-18	●	3
		18+	●	4
	Smallmouth Bass	8-11	●	4
	11+	●	5	
Union County	Creek Chub	4-5	○	2
		5+	○	3
Eel River (West Fork White River Basin)				
Clay County	River Carpsucker	15+	○	2
	Spotted Sucker	12+	○	2
Greene County	Bigmouth Buffalo	18-20	○	2
		20+	○	3
	Channel Catfish	18+	● ○	2
	Freshwater Drum	14-16	○	2
		16+	○	3
	Sauger	18+	●	3
Eel River (Upper Wabash River Basin)				
Whitley County	Bluegill	4-6	●	3
		6+	●	4
	Carp	11-20	● ○	2
		20+	● ○	3
	Northern Hogsucker	7-10	●	3
		10+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Eel River (Upper Wabash River Basin) (cont)				
Whitley County (cont)	Rock Bass	7-8	○	2
		8+	○	3
	White Sucker	8-12	●	2
		12+	●	3
Wabash County	Northern Hogsucker	8+	●	3
Miami County	Northern Hogsucker	9-12	○	2
		12+	○	3
	Rock Bass	6-7	○	2
		7+	○	3
Cass County	Smallmouth Bass	10+	●	3
	Northern Hogsucker	8-11	○	2
		11+	○	3
	Rock Bass	7-9	○	2
		9+	○	3
Elkhart River Elkhart County	Rock Bass	7-9	●	2
		9+	●	3
	Smallmouth Bass	11-17	● ○	2
		17+	● ○	3
	White Sucker	14-16	● ○	2
		16+	● ○	3
Elliot Ditch				
Tippecanoe County	ALL SPECIES	ALL	●	5
Fall Creek Madison County	Black Redhorse	13-17	○	2
		17+	○	3
	Carp	19-22	● ○	3
		22+	● ○	4
	Channel Catfish	Up to 22	●	3
		22+	●	4
	Rock Bass	5-7	●	2
		7+	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Fall Creek (cont)				
Madison County (cont)	Smallmouth Bass	6-14	○	2
		15-17	○	3
		17+	○	4
	White Sucker	12-16	○	2
		16+	○	3
Fall Creek (Upstream of Geist Reservoir)				
Hamilton County	Carp	16-23	●	2
		23+	●	3
Marion County	Channel Catfish	Up to 25	●	2
		25+	●	3
	Largemouth Bass	12-18	○	2
		18+	○	3
	Carp	Up to 20	●	4
		20+	●	5
	Channel Catfish	Up to 18	●	3
		18-20	●	4
		20+	●	5
	Largemouth Bass	14+	●	3
	Spotted Bass	15+	●	2
Flatrock River	Northern Hogsucker	8-13	○	2
		13+	○	3
Rush County	Longear Sunfish	4-6	○	2
		6+	○	3
	Rock Bass	5-8	○	2
		8+	○	3
Shelby County	Rock Bass	5-8	● ○	2
		8+	● ○	3
Galena River (South Branch)				
LaPorte County	Creek Chub	5-7	●	3
Grassy Creek	Largemouth Bass	Up to 14	○	2
		14+	○	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
(Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group	
Great Miami River Dearborn County	Carp	16-20	●	4	
		20+	●	5	
	Channel Catfish	15+	●	5	
	Largemouth Bass	15-18	● ○	2	
		18+	● ○	3	
	White Crappie	8-11	●	3	
	11+	●	4		
Greens Fork					
Wayne County	Creek Chub	7+	○	2	
Honey Creek White County	Largemouth Bass	Up to 20	● ○	2	
		20+	● ○	3	
Indian Creek Harrison County	Rock Bass	6-8	○	2	
		8+	○	3	
Iroquois River					
Jasper County	Carp	28+	●	3	
Newton County	Carp	28+	●	3	
Juday Creek St. Joseph County	White Sucker	12-17	●	2	
		17+	●	3	
Kankakee River LaPorte County	Bigmouth Buffalo	16-22	○	2	
		22+	○	3	
	Channel Catfish	17+	●	3	
	Northern Pike	15+	●	2	
	Quillback	15-16	●	3	
	Shorthead Redhorse	13-17	● ○	3	
		17+	● ○	4	
	Bigmouth Buffalo	18-24	● ○	2	
		24+	● ○	3	
	Carp	20-22	●	2	
		22+	●	3	
	Lake County	Northern Pike	31+	●	2
		Quillback	13-15	●	2
			15+	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
(Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Kankakee River (cont)				
Lake County (cont)	Shorthead Redhorse	14-16	●	2
		16-19	●	3
		19+	●	4
	Silver Redhorse	18-20	●	2
		20+	●	3
	Smallmouth Buffalo	18-22	● ○	2
		22-28	● ○	3
		28-32	● ○	4
		32+	● ○	5
Killbuck Creek Madison County	Carp	19-23	●	2
		23+	●	3
	Largemouth Bass	16+	○	3
	Longear Sunfish	5-6	●	3
		6+	●	4
	Smallmouth Bass	Up to 13	●	2
		13+	●	3
Kokomo Creek				
Howard County	ALL SPECIES	ALL	●	5
Laughery Creek Ripley County	Carp	21+	● ○	2
	Channel Catfish	17+	○	2
	Freshwater Drum	16-17	○	2
		17+	○	3
	Rock Bass	7-9	○	2
		9+	○	3
	White Sucker	9+	○	2
	Dearborn County	Carp	● ○	2
		Channel Catfish	○	2
		Freshwater Drum	○	2
			○	3
	Rock Bass	7-9	○	2
		9+	○	3
	White Sucker	9+	○	2

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Laughery Creek				
Ohio County	Carp	21+	● ○	2
	Channel Catfish	17+	○	2
	Flathead Catfish	19-22	○	2
		22+	○	3
	Freshwater Drum	16-17	○	2
		17+	○	3
	Rock Bass	7-9	○	2
		9+	○	3
	White Sucker	9+	○	2
Little Blue River (Ohio River Basin)				
Crawford County	Channel Catfish	16+	●	3
	Freshwater Drum	16-18	● ○	2
		18+	● ○	3
	Largemouth Bass	11-18	● ○	2
		18+	● ○	3
	Redear Sunfish	8-9	○	2
		9+	○	3
	Sauger	11-14	●	2
		14+	● ○	3
Little Blue River				
Shelby County	Northern Hogsucker	8-11	●	2
		11+	●	3
Little Mississinewa River				
Randolph County	ALL SPECIES	ALL	●	5
Little Pigeon Creek				
Warrick County	Bluegill	Up to 5		1
	Channel Catfish	16-17	●	2
		17+	●	3
	Freshwater Drum	19+	●	3
	Largemouth Bass	11+	●	3
Sauger	18+	●	3	
Little Sugar Creek/Walnut Fork* (Middle Wabash Basin)				
Montgomery County	ALL SPECIES	ALL	● ○	5
*Walnut Fork includes the lower portion from the confluence of Little Sugar Creek to its confluence with Sugar Creek.				

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Little Sugar Creek (East Fork White River Basin)				
Hancock County	Creek Chub	ALL	● ○	3
Maumee River Allen County	Bigmouth Buffalo	20+	●	3
	Carp	20-22	●	5
	Channel Catfish	14-16	●	3
		16+	●	4
	Largemouth Bass	9+	●	3
	River Redhorse	12-14	● ○	3
		14+	● ○	4
	Rock Bass	7-8	●	3
		8+	●	4
	Sauger	15-24	● ○	2
		24+	● ○	3
	Shorthead Redhorse	14-16	● ○	3
		16+	● ○	4
	Walleye	21+	●	5
Mississinewa River Randolph County	Carp	17+	●	5
	Channel Catfish	15+	●	5
	Green Sunfish	3+	●	5
	Longear Sunfish	3-5	●	3
		5+	●	4
Delaware County	White Crappie	8-10	●	3
		10+	●	4
	Bluegill	6+	●	2
	Green Sunfish	4-6	●	2
		6+	●	3
Grant County	Rock Bass	6-7	● ○	2
		7+	● ○	3
	Carp	14-19	●	3
	Channel Catfish	11-13	● ○	2
		13+	● ○	3
	Largemouth Bass	8-11	●	2
		11+	●	3
	White Crappie	8-11	○	2
		11+	○	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
● = PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
(Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Mississinewa River				
Miami County	Carp	19-20	●	2
Muddy Fork of Sand Creek				
Decatur County	Black Redhorse	12-15	○	2
		15+	○	3
	Largemouth Bass	6-11	●	3
		11+	●	4
	Northern Hogsucker	6-10	●	3
	White Sucker	10+	●	4
		10-13	○	2
		13+	○	3
Muscatatuck River Washington County	Bigmouth Buffalo	17-26	● ○	2
		26+	● ○	3
	Smallmouth Buffalo	22-23	● ○	2
		23+	● ○	3
Otter Creek Vigo County	Black Redhorse	10-14	●	2
		14+	●	3
	Golden Redhorse	14+	● ○	2
	Spotted Bass	8-13	○	3
		13+	○	4
Patoka River Dubois County	Bigmouth Buffalo	16-21	○	2
		21+	○	3
	Carp	19+	● ○	2
	Channel Catfish	Up to 19	●	2
		19+	●	3
	Freshwater Drum	13-17	○	2
		17+	○	3
	Largemouth Bass	14+	○	2
Pike County	Bigmouth Buffalo	19+	○	2
	Black Buffalo	19+	○	2
	Freshwater Drum	21-22	● ○	2
		22+	● ○	3
	Smallmouth Buffalo	19+	○	2

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
● = PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
(Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Patoka River (cont)				
Gibson County	Black Buffalo	24-25	● ○	2
		25+	● ○	3
	Carp	19+	● ○	2
	Channel Catfish	16-18	●	2
		18+	●	3
	Flathead Catfish	Up to 20	● ○	2
		20+	● ○	3
	Freshwater Drum	14-16	○	2
		16+	○	3
	Smallmouth Buffalo	22+	○	2
Pigeon Creek (St. Joseph River Basin)				
Steuben County	Carp	21-25	●	3
		25+	●	4
	White Sucker	11-14	○	2
		14+	○	3
Pigeon Creek (Ohio River Basin)				
Vanderburgh County	Channel Catfish	15-18	●	4
		18+	●	5
	Freshwater Drum	17-19	● ○	2
		19+	●	3
	Largemouth Bass	13+	●	2
	White Crappie	12+	●	2
Pipe Creek				
Madison County	Longear Sunfish	4+	●	2
	White Sucker	9-12	●	2
		12+	●	3
Pleasant Run Creek				
Lawrence County	ALL SPECIES	ALL	●	5
Prairie Creek				
Boone County	Creek Chub	6-7	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Richland Creek Monroe and Owen Counties	Black Redhorse	11-13	● ○	2
		13+	●	3
	Creek Chub	5-7	●	3
		7+	●	4
	Longear Sunfish	4-6	●	2
		6+	●	3
	Rock Bass	6-7	● ○	2
		7+	● ○	3
	White Sucker	8-11	● ○	3
		11+	● ○	4
Greene County	Black Redhorse	10-15	○	2
		15+	● ○	3
	Freshwater Drum	10-15	○	2
		15+	● ○	3
	Largemouth Bass	Up to 13	○	2
		13+	● ○	3
	Rock Bass	6-7	○	2
		7+	○	3
	Spotted Bass	10-12	○	2
		12+	● ○	3
Salt Creek Monroe County** (tailwaters of Monroe Reservoir Dam to Clear Creek)				
	Bluegill	7+	●	2
	Freshwater Drum	16+	●	5
	Striped Bass	12+	●	3
	Walleye	15-21	●	3
		21+	●	4
	White Crappie	7+	●	2
	Yellow Bass	8+	●	2
**This listing is based on limited data. It should be noted that fish migrate. Fish not sampled from these waters may migrate from the confluence of Clear Creek and Salt Creek, 1.3 miles south. Those water bodies have No Consumption advisories. Future sampling of the Salt Creek tailwaters below the Monroe Reservoir Dam is planned for more comprehensive results.				

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Salt Creek Monroe County (confluence of Clear Creek to Lawrence County)				
	ALL SPECIES	ALL	● ○	5
Lawrence County	ALL SPECIES	ALL	● ○	5
Salt Creek				
Porter County	White Sucker	11+	●	2
Sand Creek				
Decatur County	Black Redhorse	14+	○	2
	Northern Hogsucker	10-12	●	3
		12+	●	4
	Spotted Sucker	13-14	○	2
14+		○	3	
Jennings County	White Sucker	8-11	○	2
		11+	○	3
	Yellow Bullhead	10-12	●	3
		12+	●	4
	Rock Bass	6-9	○	2
		9+	○	3
	Spotted Bass	8-12	○	2
		12+	○	3
	Yellow Bullhead	8-11	○	2
		11+	○	3
Silver Creek				
Union County	Creek Chub	6-7	○	2
		7+	○	3
Silver Creek				
Floyd County	Carp	21-25	●	3
	Carp	25+	●	4
	Channel Catfish	17-20	●	3
		20+	●	4
	Freshwater Drum	15-18	● ○	2
		18+	● ○	3
Smallmouth Bass	15+	●	2	
South Fork Blue River				
Washington County	Rock Bass	6-8	○	2
		8+	○	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group	
Stony Creek					
Hamilton County	ALL SPECIES	ALL	●	5	
Stouts Creek					
Creek Chub		4-8	● ○	2	
Monroe County		8+	● ○	3	
St. Joseph River (Lake Erie Basin)					
Allen County	Black Crappie	9-11	●	3	
		11+	●	4	
	Black Redhorse	13-16	●	3	
		16+	●	4	
	Channel Catfish	13-14	●	3	
		15-20	●	4	
		20+	●	5	
	Golden Redhorse	12-13	●	3	
		13+	●	4	
	Rock Bass	7-9	●	3	
		9+	●	4	
	St. Joseph River (Lake Michigan Basin)				
	Elkhart County	Black Redhorse	13-17	○	2
			17+	○	3
Carp		25-28	●	3	
		28+	●	4	
Channel Catfish		16-29	●	2	
		29+	●	3	
Golden Redhorse		15-17	●	2	
		17+	●	3	
Largemouth Bass		13-14	○	2	
		14+	○	3	
Northern Hogsucker		13-15	●	2	
		15+	●	3	
Rock Bass		7+	○	2	
Shorthead Redhorse		15-17	●	3	
		17+	●	4	

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
St. Joseph River (Lake Michigan Basin) (cont)				
Elkhart County (cont)	Smallmouth Bass	10-11	●	2
		11+	●	3
	Walleye	15-16	● ○	2
		16+	● ○	3
St. Joseph County	Black Redhorse	16-18	●	3
		18+	●	4
	Carp	20+	●	5
	Channel Catfish	22+	● ○	4
	Golden Redhorse	13-22	●	3
		22+	●	4
	Largemouth Bass	11-14	●	2
		14+	●	3
	Quillback	18+	●	3
	Rock Bass	7-8	●	2
		8+	●	3
	Shorthead Redhorse	15-19	● ○	3
		19+	● ○	4
	Smallmouth Bass	7-9	● ○	2
		9+	● ○	3
	Steelhead	25-26	●	3
		26+	●	4
	White Sucker	14-16	●	3
		16+	●	4
St. Mary's River Allen County	Bigmouth Buffalo	20-25	● ○	3
		25+	● ○	4
	Black Redhorse	12-15	● ○	2
		15+	● ○	3
	Carp	16+	●	5
	Channel Catfish	13-15	●	3
		15+	●	4
	Largemouth Bass	Up to 15	● ○	3
		15+	● ○	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
St. Mary's River (cont)				
Allen Co. (cont)	Quillback	9-14	● ○	2
		14+	● ○	3
	Silver Redhorse	17+	● ○	3
	White Sucker	8-11	● ○	2
		11+	● ○	3
Sugar Creek (East Fork White River Basin)				
Hancock County	Black Redhorse	11-13	○	2
		13+	○	3
Johnson County	Carp	27+	●	3
	Flathead Catfish	17+	●	3
	Spotted Bass	13+	○	2
Sugar Creek (Middle Wabash River Basin) Montgomery County				
County Rd. 275 E	Smallmouth Bass	9-14	● ○	2
I-74 to SR 32	ALL SPECIES	ALL	●	5
U.S. 231	Black Redhorse	11-13	●	4
		13+	●	5
	Channel Catfish	12-14	●	4
		14+	●	5
	Freshwater Drum	13+	●	5
	Rock Bass	6-9	●	4
		9+	●	5
	Smallmouth Bass	9-11	●	5
Deer Mill Bridge	Channel Catfish	13-20	●	3
	Flathead Catfish	26+	●	4
	Rock Bass	6-8	●	3
	Shorthead Redhorse	13-15	●	3
	Smallmouth Bass	10-15	●	3
Shades State Park	Black Redhorse	14-16	●	4
		16+	●	5
	Rock Bass	7+	●	3
	Smallmouth Bass	7-11	●	2
		11-15	●	3
15+		●	4	

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Sugar Creek (Middle Wabash River Basin) (cont)				
Parke County	Black Redhorse	12-16	●	3
		16+	●	4
	Smallmouth Bass	8-11	●	2
		11+	● ○	3
	Channel Catfish	12-13	●	3
		13+	● ○	4
	Northern Hogsucker	12-14	● ○	3
	Freshwater Drum	16+	● ○	3
	Sauger	21+	● ○	3
Tanners Creek				
Dearborn County	Bluegill	Up to 5		1
	Carp	19-21	● ○	2
		21+	● ○	3
	Largemouth Bass	9-17	● ○	2
		17+	● ○	3
	Sauger	12+	○	2
Tippecanoe River				
Kosciusko County	Bluegill	6+	○	2
	Redhorse	17-18	●	3
		18+	●	4
	River Redhorse	17+	○	3
	Rock Bass	5+	○	2
Marshall County	Rock Bass	9-10	○	2
		10+	○	3
Fulton County	Channel Catfish	12-23	● ○	2
		23+	● ○	3
	Northern Hogsucker	7-12	○	2
		12+	○	3
	Spotted Suckers	13+	○	2
	Golden Redhorse	15-16	● ○	2
		16+	● ○	3
	Carp	30-31	● ○	2

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Tippecanoe River (cont)				
Pulaski County	Black Redhorse	16-17	●	3
		17+	●	4
	Channel Catfish	11-12	● ○	2
		12+	● ○	3
	Longear Sunfish	3-5	○	2
		5+	○	3
	Northern Hogsucker	13-15	○	2
		15+	○	3
Carroll County	Carp	21-22	●	2
Trail Creek				
	Bluegill	Up to 7		1
LaPorte County	Carp	23-25	●	5
Wabash River				
Adams County	Carp	17-19	●	2
Wells County	Carp	17-19	●	2
		19+	●	3
	Channel Catfish	13-19	● ○	3
		19+	● ○	4
	Golden Redhorse	18+	○	2
	Rock Bass	7-10	○	2
		10+	○	3
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
Huntington County	White Crappie	Up to 9		1
		9+	○	2
	Yellow Perch	6-7	○	2
		7+	○	3
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-16	● ○	3
		16+	● ○	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (cont)				
Huntington Co. (cont)	Freshwater Drum	12-18	●	3
		18+	●	4
	Largemouth Bass	12-14	○	3
		14+	○	4
	Carp	18-21	● ○	2
Wabash County	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
	Black Redhorse	16-19	○	2
		19+	○	3
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	○	2
		19+	○	3
	Freshwater Drum	12-18	●	3
		18+	●	4
	Quillback	12-16	○	2
		16+	○	3
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
Miami County	White Bass	11-21	● ○	3
		21+	● ○	4
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	● ○	2
		19+	● ○	3
	Freshwater Drum	12-18	●	3
		18+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (cont)				
Miami Co. (cont.)	Quillback	13-17	○	2
		17+	○	3
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	○	5
Cass County	Black Redhorse	16-19	○	2
		19+	○	3
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	● ○	2
		19+	● ○	3
	Freshwater Drum	12-18	●	3
		18+	●	4
	Quillback	13-19	○	2
		19+	○	3
	Sauger	13-19	● ○	2
		19+	● ○	3
	Smallmouth Bass	12-16	○	2
		16+	○	3
	Smallmouth Buffalo	25+	●	5
Carroll County	Walleye	16+	○	2
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	● ○	2
		19+	● ○	3
	Freshwater Drum	12-18	●	3
		18+	●	4
	River Redhorse	23-26	○	2
		26+	○	3
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (cont)				
Tippecanoe County	Bigmouth Buffalo	17-20	●	2
		20+	●	3
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	11-15	●	3
		15+	● ○	4
	Flathead Catfish	15-24	● ○	2
		24+	● ○	3
	Freshwater Drum	12-18	● ○	3
		18+	● ○	4
	Golden Redhorse	20+	●	3
	Largemouth Bass	9-14	○	2
		14+	○	3
	Paddlefish	34+	●	3
	Quillback	13-19	●	4
		19+	●	5
	River Redhorse	16-19	● ○	2
		19+	● ○	3
	River Carpsucker	14-16	●	3
	Sauger	13-19	● ○	4
		19+	● ○	5
Fountain County	Smallmouth Bass	9-12	●	3
		12+	●	4
	Smallmouth Buffalo	25+	●	5
	White Bass	6-11	○	2
		11+	○	3
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	●	3
		19+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● = PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (cont)				
Fountain Co. (cont)	Freshwater Drum	12-18	●	3
		18+	●	4
Vermillion County	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
	Bigmouth Buffalo	18+	●	3
Vigo County	Bigmouth Buffalo	21-24	●	3
		24+	●	4
	Blue Sucker	21-26	● ○	3
		26+	● ○	4
	Carpsucker	10-17	● ○	2
		17+	● ○	3
Sullivan County	Channel Catfish	13-19	● ○	3
		19+	● ○	4
	Flathead Catfish	10-20	● ○	2
		20+	● ○	3
	Freshwater Drum	12-18	●	3
		18+	●	4
	Sauger	13-19	● ○	4
		19+	●	5
	Shovelnose Sturgeon	30+	●	3
	Smallmouth Buffalo	25+	● ○	5
	White Bass	13+	● ○	3
	Wiper	10-12	●	3
		12+	●	4
	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	● ○	3
		19+	● ○	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● = PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (cont)				
Sullivan Co. (cont)	Flathead Catfish	16-31	● ○	3
		31+	● ○	4
	Freshwater Drum	12-18	●	2
		18+	●	3
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
Knox County	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	●	2
		19+	●	3
	Freshwater Drum	12-18	● ○	3
		18+	● ○	4
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
Gibson County	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	● ○	2
		19+	● ○	3
	Freshwater Drum	12-18	● ○	2
		18+	● ○	3
	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
Posey County	Blue Sucker	21-26	●	3
		26+	●	4
	Channel Catfish	13-19	●	2
		19+	●	3
	Flathead Catfish	11-19	● ○	2
		19+	● ○	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Wabash River (cont)				
Posey Co. (cont)	Sauger	13-19	●	4
		19+	●	5
	Smallmouth Buffalo	25+	●	5
	White Bass	11-21	● ○	3
		21+	● ○	4
	Wiper	13+	●	3
Wea Creek				
Tippecanoe County	ALL SPECIES	ALL	●	5
West Fork of White River				
Randolph County	Black Redhorse	13+	○	2
	Bluegill	6+	○	2
	Carp	18-22	●	2
		22+	●	3
	Channel Catfish	14-16	●	3
		16+	●	4
	Creek Chub	7-8	● ○	2
		8+	● ○	3
	Largemouth Bass	9+	●	2
	Longear Sunfish	3-5	●	2
		5+	●	3
	Quillback	13-18	●	3
		18+	●	4
	Smallmouth Bass	12+	● ○	2
Delaware County	Spotted Sucker	11-13	●	3
		13+	●	4
	White Sucker	11+	○	2
	Black Bullhead	Up to 9	●	2
		9+	●	3
	Black Redhorse	14-16	●	3
		16+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group	
West Fork of White River (cont)					
Delaware Co. (cont)	Channel Catfish	14-16	●	3	
		16+	●	4	
	Largemouth Bass	10-15	● ○	3	
		15+	● ○	4	
	Quillback	13-18	●	3	
		18+	●	4	
	Rock Bass	8+	●	2	
	Smallmouth Bass	10-13	● ○	2	
		13+	● ○	3	
	Spotted Sucker	11-13	●	3	
		13+	●	4	
	White Sucker	10-15	●	2	
		15+	●	3	
	Madison County	Green Sunfish	4-6	●	2
			6+	●	3
		Longear Sunfish	5+	●	2
Rock Bass		6+	●	2	
Spotted Sucker		11+	●	3	
Hamilton County	Carp	17-20	●	4	
		20+	●	5	
	Largemouth Bass	11-17	● ○	3	
		17+	● ○	4	
	Longear Sunfish	4-9	●	3	
		9+	●	4	
	Quillback	13-18	●	3	
		18+	●	4	
	Marion County (Upstream of Broad Ripple Dam)				
	Largemouth Bass	11-16	●	3	
16+		●	4		
Marion County (Downstream of Broad Ripple Dam)					
	Bluegill	Up to 6		1	
	Carp	19+	●	5	

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
• - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
(Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
West Fork of White River (cont)				
Marion County (Downstream of Broad Ripple Dam) (cont)				
	Channel Catfish	12-17	•	3
		17+	•	4
	Flathead Catfish	13-15	• ○	3
		15+	• ○	4
	Largemouth Bass	10-17	• ○	2
		17+	•	3
	River Carpsucker	14-17	•	3
		17+	•	4
	Quillback	13-18	•	3
		18+	•	4
Morgan County	Smallmouth Bass	9-11	•	2
		11+	•	3
	Spotted Bass	11-13	•	3
		13+	•	4
	Black Redhorse	15-16	•	3
		16+	•	4
	Carp	16-27	•	3
		27+	•	4
	Channel Catfish	18-22	•	3
		22+	•	4
	Flathead Catfish	Up to 30	•	4
		30+	•	5
	Gizzard Shad	10+	•	2
	Largemouth Bass	15-16	•	2
		16+	•	3
	Quillback	13-18	•	3
		18+	•	4
	River Carpsucker	14-17	•	3
	Smallmouth Bass	15-17	•	3
		17+	•	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
• - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
(Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
West Fork of White River (cont)				
Morgan Co. (cont)	Spotted Bass	11-13	●	3
		13+	●	4
	Spotted Sucker	11-13	●	3
		13+	●	4
Owen County	Bigmouth Buffalo	16-24	● ○	2
		24+	● ○	3
	Channel Catfish	13-15	●	2
		15+	●	3
	Freshwater Drum	13-15	● ○	2
		15+	●	3
	Quillback	13-18	●	3
		18+	●	4
	River Carpsucker	13-15	● ○	2
		15+	●	3
Greene County	Sauger	Up to 14	●	3
		14+	●	4
	Spotted Bass	10-11	● ○	2
		11+	●	3
	Spotted Sucker	11-13	●	3
		13+	●	4
	White Bass	14-15	● ○	3
		15+	● ○	4
	Bigmouth Buffalo	Up to 20	●	2
		20+	●	3
	Channel Catfish	14-16	●	3
		16+	●	4
	Quillback	13-18	●	2
		18+	●	3
	River Carpsucker	13-15	●	2
		15+	●	3
	Spotted Sucker	11-13	●	3
		13+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● = PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
West Fork of White River (cont)				
Daviess County	Bigmouth Buffalo	17-19	●	2
		19+	●	3
	Channel Catfish	14-18	●	2
		18+	●	3
	Flathead Catfish	11-14	● ○	2
		14+	● ○	3
	Quillback	13-18	●	3
		18+	●	4
	River Carpsucker	16+	●	2
	Spotted Sucker	11-13	●	3
		13+	●	4
White River Pike County	White Bass	14-15	● ○	3
		15+	● ○	4
	Bigmouth Buffalo	21-25	● ○	2
		25+	● ○	3
	Channel Catfish	14-18	●	2
		18+	●	3
	Flathead Catfish	9-16	●	2
		16+	●	3
	Freshwater Drum	13+	● ○	2
		13-18	●	3
	Quillback	13-18	●	3
		18+	●	4
	River Carpsucker	16+	●	2
	Smallmouth Bass	7-12	○	2
		12+	○	3
	Smallmouth Buffalo	18-22	●	3
		22+	●	4
	Spotted Bass	9+	●	3
	Spotted Sucker	11-13	●	3
		13+	●	4

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● = PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
White River (cont)				
Gibson County	Bigmouth Buffalo	21-25	● ○	2
		25+	● ○	3
	Channel Catfish	14-18	●	2
		18+	●	3
	Flathead Catfish	9-16	●	2
		16+	●	3
	Freshwater Drum	13+	● ○	2
	Largemouth Bass	11-17	○	2
		17+	○	3
	Quillback	13-18	●	3
		18+	●	4
	River Carpsucker	16+	●	2
	Smallmouth Bass	7-12	○	2
		12+	○	3
	Smallmouth Buffalo	18-22	●	3
		22+	●	4
	Spotted Bass	9+	●	3
Spotted Sucker	11-13	●	3	
	13+	●	4	
White Lick Creek				
Hendricks County	Channel Catfish	21-22	● ○	2
		22+	● ○	3
	Smallmouth Bass	8-14	● ○	2
		14+	● ○	3
Morgan County	Black Redhorse	14+	●	2
	Channel Catfish	20-22	● ○	2
		22+	●	3
	Largemouth Bass	12+	●	2
	Smallmouth Bass	8-12	●	2
		12+	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)

Location	Species	Fish Size (inches)	Contaminant	Group
Whitewater River				
Dearborn County	Black Redhorse	14-16	● ○	2
		16+	● ○	3
	Channel Catfish	15-23	● ○	3
		23+	● ○	4
	Freshwater Drum	14-15	● ○	2
		15+	● ○	3
Wildcat Creek				
Howard County (Upstream of the Waterworks Dam in Kokomo)				
	Bluegill	Up to 6		1
Howard County (Downstream of the Waterworks Dam in Kokomo)				
	ALL SPECIES	ALL	●	5
Carroll County	ALL SPECIES	ALL	●	5
Tippecanoe County	Freshwater Drum	10-12	●	4
		12+	●	5
	Golden Redhorse	12-14	●	3
		14+	●	4
	Quillback	12-13	●	3
		13+	●	4
	White Bass	7-8	●	2
		8+	●	3
	Channel Catfish	10-16	●	3
		16+	●	4
	Spotted Bass	8+	●	3
Young's Creek				
Johnson County	Northern Hogsucker	7-10	●	2
		10+	●	3

○ = Mercury Group 2 = 1 meal/week Group 4 = 1 meal/2 months
 ● - PCBs Group 3 = 1 meal/month Group 5 = DO NOT EAT
 (Women and children see advisory groups on Page 3 and Health Risks on Page 7)